


These all purpose cables have many uses in agriculture and industry where high strength and small size are required.

NOT FOR AIRCRAFT USE



7X7 GALVANIZED CABLE

[Click Here To Buy](#)

Meets Dimensional and Strength Requirements of MIL-W-834 20D

Size (Inches)	Approx. Weight per 1000 ft. (Lbs)	Work Load Limit (Lbs.)
1/16	7.5	96
3/32	16.	184
1/8	28.	340
5/32	43.	520
3/16	62.	740
1/4	106.	1220



7X19 GALVANIZED CABLE

[Click Here To Buy](#)

Meets Dimensional and Strength Requirements of MIL-W-834 20D

Size (Inches)	Approx. Weight per 1000 ft. (Lbs)	Work Load Limit (Lbs.)
3/32	17.4	200
1/8	29.	400
5/32	45.	560
3/16	65.	840
7/32	86.	1000
1/4	110.	1400
5/16	173.	1960
3/8	243.	2880

DO NOT EXCEED WORK LOAD LIMIT OR 20% OF THE PRODUCT'S BREAK STRENGTH.

When using wire rope clips with plastic coated cable, match clip size to uncoated cable diameter
(3/16" coated to 1/4 takes 3/16" clip.)
Strip plastic coating off cable where clips will be positioned for full holding power.




NOT FOR AIRCRAFT USE


CLEAR VINYL COATED GALVANIZED CABLE

[Click Here To Buy](#)

Cable Diameter (Inches)	Coated to (Inches)	Construction	Approx. Weight per 1000 ft. (Lbs)	Work Load Limit (Lbs)
1/16	3/32	7 x 7	11.8	96
3/32	1/8	7 x 7	18.5	184
3/32	3/16	7 x 7	25.8	184
1/8	3/16	7 x 7	35.2	340
1/8	3/16	7 x 19	36.2	400
3/16	1/4	7 x 19	77.5	740
1/4	5/16	7 x 19	123.0	1400
5/16	3/8	7 x 19	197.0	1960
3/8	7/16	7 x 19	326.0	2880



7 x 7



7 x 19

CLEAR VINYL COATED STAINLESS CABLE, TYPE 304

Cable Diameter (Inches)	Coated to (Inches)	Construction	Approx. Weight per 1000 ft. (Lbs)	Work Load Limit (Lbs)
1/8	3/16	7 X 19	36.2	400
3/16	1/4	7 X 19	77.5	740
1/4	5/16	7 X 19	123.0	1400
5/16	3/8	7 X 19	197.0	1960
3/8	7/16	7 x 19	270.0	2880

Also available on special order: nylon and vinyl in various colors.